

STIC Biotechnology Systems Branch

RAW SEQUENCE LISTING ERROR REPORT

EFS

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: 10/542,408C
Source: IFWO
Date Processed by STIC: 1/30/07

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.

PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION AND PATENTIN SOFTWARE QUESTIONS, PLEASE CONTACT MARK SPENCER, TELEPHONE: 571-272-2510; FAX: 571-273-0221

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 4.4.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

<http://www.uspto.gov/web/offices/pac/checker/chkrnote.htm>

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail.

Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

1. EFS-Bio (<<http://www.uspto.gov/ebc/efs/downloads/documents.htm>> , EFS Submission User Manual - ePAVE)
2. U.S. Postal Service: Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450
3. Hand Carry, Federal Express, United Parcel Service, or other delivery service (EFFECTIVE 01/14/05):
U.S. Patent and Trademark Office, Mail Stop Sequence, Customer Window, Randolph Building, 401 Dulany Street, Alexandria, VA 22314

Revised 01/10/06



IFWO

RAW SEQUENCE LISTING

DATE: 01/30/2007

PATENT APPLICATION: US/10/542,408C

TIME: 08:41:17

Input Set : N:\efs\01_29_07\10542408c_efs\3136us0prevseq.txt

Output Set: N:\CRF4\01302007\J542408C.raw

3 <110> APPLICANT: ITO, Yasuaki
 4 FUJII, Ryo
 5 HINUMA, Shuji
 6 FUKUSUMI, Shoji
 7 MARUYAMA, Minoru
 9 <120> TITLE OF INVENTION: Novel Screening Method
 11 <130> FILE REFERENCE: 3136 USOP
 13 <140> CURRENT APPLICATION NUMBER: US 10/542408C
 14 <141> CURRENT FILING DATE: 2005-07-15
 16 <150> PRIOR APPLICATION NUMBER: PCT/JP2004/000248
 17 <151> PRIOR FILING DATE: 2004-01-15
 19 <150> PRIOR APPLICATION NUMBER: JP 2003-010001
 20 <151> PRIOR FILING DATE: 2003-01-17
 22 <150> PRIOR APPLICATION NUMBER: JP 2003-104540
 23 <151> PRIOR FILING DATE: 2003-04-08
 25 <150> PRIOR APPLICATION NUMBER: JP 2003-194497
 26 <151> PRIOR FILING DATE: 2003-07-09
 28 <150> PRIOR APPLICATION NUMBER: JP 2003-329080
 29 <151> PRIOR FILING DATE: 2003-09-19
 31 <160> NUMBER OF SEQ ID NOS: 22

Does Not Comply
Corrected Diskette Needed

ERRORED SEQUENCES

437 <210> SEQ ID NO: 22
 438 <211> LENGTH: 21
 439 <212> TYPE: DNA
 440 <213> ORGANISM: Artificial Sequence
 442 <220> FEATURE:
 W--> 443 <221> NAME/KEY: misc_DNA
 444 <222> LOCATION: (1)..(2)
 445 <223> OTHER INFORMATION: mixed DNA/RNA n stands for deoxy thymidine
 447 <400> SEQUENCE: 22
 W--> 448 nmcgugucc uuuaaggcua a
 E--> 454

this needs explanation

in 2207-22237 section

same
even in
sequence 21.

8
delete

VERIFICATION SUMMARY

DATE: 01/30/2007

PATENT APPLICATION: US/10/542,408C

TIME: 08:41:18

Input Set : N:\efs\01_29_07\10542408c_efs\3136us0prevseq.txt

Output Set: N:\CRF4\01302007\J542408C.raw

L:430 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:21
L:435 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:21 after pos.:0
L:443 M:257 W: Feature value mis-spelled or invalid, <221> Name/Key for SEQ ID#:22
L:448 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:22 after pos.:0
L:454 M:254 E: No. of Bases conflict, this line has no nucleotides.